Formulate 20’ Horizontal Curve

FMLT-WH20-05

Formulate™ is a collection of sophisticated, ergonomically designed exhibit booths. Formulate combines state-of-the-art zipper pillowcase dye-sublimated fabric coverings with advanced lightweight aluminum structures to provide unique design, functionality, and style. The excellence of the Formulate line of displays, hanging structures and products is simply unmatched. Stretch fabric graphics are hand-sewn, durable and dry-cleanable.

features and benefits:

- State-of-the-art 30mm aluminum tubing with push-button connectors
- Includes three 20” wide shelves available in four laminate color options
- Frame can also be configured* as a standard 10’ backwall (*requires additional 10’ graphic purchase)
- Kit includes: one frame, one dye-sublimated zipper pillowcase graphic, multi-shelf ladder, infill panel graphics, two wheeled molded OCL cases and one OCH2 storage case
- Lifetime hardware warranty against manufacturer defects

dimensions:

Hardware	Graphic
Assembled unit: 226.7292”w x 92.7635”h x 38.5410”d Multi-shelf ladder: 23.6”w x 92.7”h x 26.6”d Shelf dimensions (each): 20.47”w x 11.81”d Approximate weight (includes graphic): 129 lbs / 58.5 kgs	Total visual area: 250.5”w x 92”h 5740mm(w) x 2324mm(h) Stand-off ladder total visual area: Top & bottom: 21”w x 17”h Please be sure to include a 2” bleed around the perimeter for dye-sublimated graphics and a 1/2” bleed around the perimeter for PVC graphics. Refer to related graphic template for more information. Visit: www.exhibitors-handbook.com/graphic-templates
Shipping	
Shipping dimensions - ships in 3 cases: 2 OCL cases (each): 19”l x 19”w x 56”h 1 OCH2 case: 52”l x 30”w x 15”h Approximate shipping weight (with cases): 199 lbs / 90.26 kgs	

additional information:

Graphic material: dye-sublimated zipper pillowcase fabric, 3mm white pvc

- Shelves holds max 10 lbs / 4.5 kgs each

Table colors:

silver black mahogany natural

www.display-setup-animations.com

We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

Parts Included		
Part Label	**Qty**	**Part Code**
90 DEGREE ELBOW JOINT FOR 30MM TUBING	x4	TC-30-90
T JUNCTION FOR 30MM TUBING	x12	TC-30-T
4 WAY JUNCTION FOR 30MM TUBING	x5	TC-30-X
30MM TUBE SECTION	x12	WH-20-T1
1114MM X 30MM TUBE SECTION	x14	WH-20-T2
1114MM X 30MM TUBE SECTION	x6	WH-20-T3
20’ FABRIC GRAPHIC	x1	WH20-01-G



Parts Included		
Part Label	**Qty**	**Part Code**
FABRIC GRAPHIC	x1	WH10-01-G
90 DEGREE ELBOW JOINT FOR 30MM TUBING	x4	TC-30-90
T JUNCTION FOR 30MM TUBING	x6	TC-30-T
4 WAY JUNCTION FOR 30MM TUBING	x2	TC-30-X
R2000MM X 30MM TUBE (997MM ARC)	x9	WH10-01-T1
1114MM X 30MM TUBE	x8	WH10-01-T2



Parts Included – Ladder		
Part Label	**Qty**	**Part Code**
520 X 300 X 30 COUNTER	x3	CTWL
PARALLEL TUBE CLAMP FOR 30MM TUBES	x2	TCP-3030
30MM TUBE SECTION	x2	WL-T3
TOP SINTRA GRAPHICS	x2	WLLH-T-G
30MM TUBE SECTION	x1	WL-T5
30MM TUBE SECTION	x1	WL-T6
30MM TUBE SECTION	x1	WL-T4





STEP 1: ASSEMBLE FRAME



Connect tubes following the labels matching number to number.



Assemble top frame corners using TC-30-90. Label codes will be on backside of tube. Lay frame flat.



Connect top and bottom sides of frame using TC-30-T by lining up holes with snap buttons.



Use TC-30-X to connect middle frame sections, snap on buttons.

STEP 2: ATTACH GRAPHIC



Pull graphic over top of frame.



Zip graphic closed along bottom.

STEP 3: ASSEMBLE LADDER FRAME



Connect top of accent frame to bottom using WL-T3 by pressing snap buttons.



Next, connect accent frame to base.

STEP 4: ATTACH SHELVES



Install shelves onto hardware using four thumbscrews per shelf.

STEP 5: ATTACH GRAPHICS



Slide infill panels into channels.

STEP 6: ATTACH TO BACKWALL WITH CLAMPS



Position accent in front of backwall in desired location.



Attach to backwall with (2) TCP-3030 back to back tube clamps.